

Your Website Score

Review of [Fanypcb.com](https://fanypcb.com)

Generated on 2025-03-07

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography

 Good

 To Improve

 Errors

 Not Important

 Hard to solve

 Little tough to solve

 Easy to solve

 No action necessary

Title Tag



Length: 69 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.

Meta Description



Length: 69 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.

Meta Keywords



Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
0	4	14	1	0	0

- <H2> FYPCB: Your Best Partner for Electronic Product Development. </H2>
- <H2> Design and Product Case Studies </H2>
- <H2> Factory Environment Showcase </H2>
- <H2> Partner Clients </H2>
- <H3> Reliable Partner </H3>
- <H3> Professional </H3>
- <H3> One-stop Service </H3>
- <H3> Schematic Diagram Design </H3>
- <H3> Pcb Design&Layout </H3>
- <H3> Pcb Fabrication </H3>
- <H3> Pcb Assembly </H3>
- <H3> Blog </H3>
- <H3> PCB Design Challenges for 10-Layer Multilayer Boards </H3>
- <H3> COM-E Module PCB Layout Design Solution </H3>
- <H3> PCB Panelization Design - The Secret to Enhancing Efficiency and Cost Savings </H3>
- <H3> Altium Designer 25 | AD 25.0.2 Version PCB Software Download Package and Installation Tutorial - Resource Download </H3>
- <H3> EMC Rectification Case Sharing - CE Current Method </H3>
- <H3> The Functions of BOOT and Other Pins in Common DC-DC Chips </H3>
- <H4> Who We Are? </H4>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

design 19 circuit 12 assembly 10 quality 9 delivery 6
 details 6 services 5 service 5 product 5 factory 5
 assurance 4 electronic 4 board 4 capabilities 4 layer 4

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.


It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
design	19	✓	✓	✓
circuit	12	✗	✗	✗
assembly	10	✗	✗	✓
quality	9	✗	✗	✗
delivery	6	✗	✗	✗
details	6	✗	✗	✗
services	5	✗	✗	✗
service	5	✗	✗	✓
product	5	✗	✗	✓
factory	5	✗	✗	✓
assurance	4	✗	✗	✗
electronic	4	✗	✗	✓
board	4	✗	✗	✓
capabilities	4	✗	✗	✗
layer	4	✗	✗	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

We found 74 images on this web page
 69 ALT attributes are empty or missing.

/assets/img/FYPCBlogo.webp
//static.nextpcb.com/images/newNavIcon/product/col1-1.webp
//static.nextpcb.com/images/newNavIcon/product/col1-2.webp
//static.nextpcb.com/images/newNavIcon/product/col2-1.webp
//static.nextpcb.com/images/newNavIcon/product/col2-2.webp
//static.nextpcb.com/images/newNavIcon/product/col2-3.webp
//static.nextpcb.com/images/newNavIcon/product/col3-1.webp
//static.nextpcb.com/images/newNavIcon/product/col3-2.webp
//static.nextpcb.com/images/newNavIcon/product/col3-3.webp
//static.nextpcb.com/images/newNavIcon/product/col4-1.webp
//static.nextpcb.com/images/newNavIcon/product/col4-2.webp
//static.nextpcb.com/images/newNavIcon/product/col4-3.webp
//static.nextpcb.com/images/newNavIcon/product/pcb.png
//static.nextpcb.com/images/newNavIcon/product/pcba.webp
https://pcbwayfile.s3.us-west-2.amazonaws.com/web/24/11/22/1630119574052s.png
https://pcbwayfile.s3.us-west-2.amazonaws.com/web/24/11/20/1136070313236s.png
https://pcbwayfile.s3.us-west-2.amazonaws.com/project/24/11/19/0136304905268s.png
/assets/icon/dianhua.png
/assets/icon/youxiang.png
/assets/icon/dianhua.png
/assets/icon/zhiding.png
/assets/img/pcbicon1.webp
/assets/img/pcbicon2.webp
/assets/img/pcbicon3.webp
/assets/img/circuit.webp
/assets/img/circuit2.webp
/assets/img/home_pcba01.webp
/assets/img/Layout2.webp
/assets/img/PCB1.webp
/assets/img/PCB2.webp
/assets/img/SMT1.webp
/assets/img/SMT2.webp
/uploads/images/20250217/f7a77c3c10a6a96aa71a61aa7ea7b673.jpg
/uploads/images/20250217/a075e1eef1f68d7f03bb6aae8d1f7a1.jpg
/uploads/images/20250217/11e3e47c4bcef628970084fec7baeeb4.jpg
/uploads/images/20250217/df6b86faae32dc0f38547389a04edc4e.png
/uploads/images/20250107/01aae091fb66653568cd0db03fcc3c6e.png
/uploads/images/20250216/11af5715736041186abdd25b1250fed1.jpg
/uploads/images/20250216/96710f8d4366259e951e3ea1d68a92c9.jpg
/uploads/images/20250216/c426773e54e6230998a83ebcdcf5534.jpg
/uploads/images/20250216/12f01e2e42e553db64604df179cf784a.jpg
/uploads/images/20250216/808686ed7e59352138c530e23aaa61c2.jpg
/uploads/images/20250216/a80d331dd6263988a102df14e82ad1c1.jpg
/uploads/images/20250216/1ff712a6d3dd61932cd8322beb8084f6.jpg
/uploads/images/20250216/624f13e78d3227a13bada43eb732308e.jpg
/uploads/images/20250216/59f19137eb7abf1b143b85e7fbc29140.png
/uploads/images/20250216/e5bb34493ec53662615c361dff860b4.jpg
/assets/img/trust1.webp
/assets/img/trust2.webp
/assets/img/trust3.webp
/assets/img/trust4.webp

/assets/img/trust5.webp
/assets/img/trust6.webp
/assets/img/trust7.webp
/assets/img/trust8.webp
/assets/img/trust9.webp
/assets/img/trust10.webp
/assets/img/trust11.webp
/assets/img/trust12.webp
/assets/img/trust13.webp
/assets/img/trust14.webp
/assets/img/trust15.webp
/assets/img/trust6.webp
/assets/img/trust17.webp
/assets/img/guarantee-a-icon.webp
/assets/img/guarantee-b-icon.webp
/assets/img/guarantee-c-icon.webp
/assets/img/guarantee-d-icon.webp
/assets/img/logo_footer.webp



Text/HTML Ratio

HTML to Text Ratio is: **11.39%**

Alt  text is used to describe images to give the search engine crawlers (and the visually impaired).

Text content size 8327 bytes

Also, more information to help them understand images, which can help them to appear in Google Images search results.

Total HTML size 73109 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression

Wow! It's GZIP Enabled.



 Your webpage is compressed from 71 KB to 14 KB (80.3 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 54.174.229.155 does not redirect to fanypcb.com


To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Warning! We have detected parameters in a massive number of URLs


Your site's URLs contain unnecessary elements that make them look complicated. A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords. Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Oh no, you are using underscores (these_are_underscores) in your URLs


Great, you are not using ?underscores (these_are_underscores) in your URLs. While Google treats hyphens as word separators, it does not for underscores.



WWW Resolve



Warning, no 301 redirects are in place to redirect traffic to your preferred domain. Pages that load successfully both with and without www. are treated as duplicate content!

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



XML Sitemap



Good, you have XML Sitemap file!
<http://fanypcb.com/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



Robots.txt




Good, you have Robots.txt file!
<http://fanypcb.com/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Perfect, no Iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: 6 Years, 287 Days

Created Date: 19th-Jun-2018

Updated Date: 28th-May-2024

Expiry Date: 19th-Jun-2025

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.

 **Indexed Pages**


Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.

 **Backlinks Counter**


Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

http://fanypcb.com
Length: 7 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon

Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.

✔ **Page Size**
⚙️⚙️⚙️

24 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.

✔ **Load Time**
⚙️⚙️⚙️

0.13 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.

✘ **Language**
⚙️⚙️⚙️

Oh no, you have not declared your language
Declared Language: Unknown

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

● **Domain Availability**

Domains (TLD)	Status
fanypcb.net	Available
fanypcb.org	Already Registered
fanypcb.biz	Already Registered
fanypcb.us	Available
fanypcb.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

● **Typo Availability**

Domains (TLD)	Status
canypcb.com	Available
danypcb.com	Available
eanypcb.com	Available
ranypcb.com	Available
tanypcb.com	Available

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy

Email address has been found in plain text!



We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing

The website is not blacklisted and looks safe to use.



Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Awesome! This page is mobile-friendly!
Your mobile friendly score is 80/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Perfect, no embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.



FYPCB: Your Best Partner for Electronic Product Development.

One-stop Service for Schematic Diagram Design, PCB Design&Layout, PCB Fabrication, PCB Assembly

Reliable Partner
Dependable Solutions

Professional
Path of Expertise

One-stop
All-In-One

News: 2025-01-02 22:14:37 Which C

News: 2025-01-02 11:02:01 Apple t



Schematic Diagram Design

You provide the ideas, and I'll help

...

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
54.174.229.155	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✗ Too bad, your website has too many JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

We didn't detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.

 **Doc Type**


Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.
For example, what version of HTML the page is written in.
Declaring a doctype helps web browsers to render content correctly.

 **W3C Validity**


W3C not validated

W3C is a consortium that sets web standards.
Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.
Run the W3C validation service whenever changes are made to your website's code.

 **Encoding**


Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook: 

 Twitter: 

 Instagram: 

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$10 USD

Just a estimated worth of your website based on Alexa Rank.

 **In-Page Links**


We found a total of 103 links including both internal & external links of your site

Anchor	Type	Follow
zhengzy@fanypcb.com	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Services	Internal Links	Dofollow
Schematic Diagram Design	Internal Links	Dofollow
Pcb Design&Layout	Internal Links	Dofollow
Pcb Fabrication	Internal Links	Dofollow
Pcb Assembly	Internal Links	Dofollow
Capabilities	Internal Links	Dofollow
PCB Capability	Internal Links	Dofollow
PCB Manufacturing Process	Internal Links	Dofollow
HDI PCBs	Internal Links	Dofollow
Thick Copper PCB	Internal Links	Dofollow
High TG PCBs	Internal Links	Dofollow
Flexible PCBs	Internal Links	Dofollow
High-frequency PCBs	Internal Links	Dofollow
Metal-core PCBs	Internal Links	Dofollow
Rigid-flex PCBs	Internal Links	Dofollow
Aluminum PCBs	Internal Links	Dofollow
Via Covering	Internal Links	Dofollow
Surface Finish	Internal Links	Dofollow
Silkscreen	Internal Links	Dofollow
Solder mask	Internal Links	Dofollow
PCB Assembly Service	Internal Links	Dofollow
PCB Assembly Capability	Internal Links	Dofollow
File Requirements	Internal Links	Dofollow
PCB Assembly Process	Internal Links	Dofollow
IC Programming	Internal Links	Dofollow
PCBA DFA	Internal Links	Dofollow
BGA Assembly Capabilities	Internal Links	Dofollow
Laser Labeling/Coding	Internal Links	Dofollow
Layer Stack-up	Internal Links	Dofollow
Prepregs, cores, foils	Internal Links	Dofollow
PCB Impedance Calculator	Internal Links	Dofollow
Layer Orientation	Internal Links	Dofollow
BGA	Internal Links	Dofollow
PCB Price Composition	Internal Links	Dofollow
Printed Circuit Board Materials	Internal Links	Dofollow
PCB Design & Layout	Internal Links	Dofollow
Panel Creation	Internal Links	Dofollow
Gold Fingers	Internal Links	Dofollow
V-Scoring	Internal Links	Dofollow
Back drilling	Internal Links	Dofollow
PCB milling	Internal Links	Dofollow
Laser Stencil	Internal Links	Dofollow
E-Test	Internal Links	Dofollow
X-RAY	Internal Links	Dofollow
Design Rule Check	Internal Links	Dofollow

A.O.I	Internal Links	Dofollow
Via-in-pad	Internal Links	Dofollow
Blind & Buried Vias	Internal Links	Dofollow
Annular Rings	Internal Links	Dofollow
Side plating	Internal Links	Dofollow
Plated Half-holes/Castellated Holes	Internal Links	Dofollow
Plated-through Slots	Internal Links	Dofollow
PCB Factory VR Visiting	Internal Links	Dofollow
PCB Assembly Factory Show	Internal Links	Dofollow
Certificate	Internal Links	Dofollow
Only \$0.1 24 hours Turnaround Time For 1-2 layers PCB Under 100mm*100mm	Internal Links	Dofollow
Free for 50pcs 50%OFF for 100pcs TURNKEY PCB ASSEMBLY	Internal Links	Dofollow
Products	Internal Links	Dofollow
Factory	Internal Links	Dofollow
Blog & News	Internal Links	Dofollow
About Us	Internal Links	Dofollow
Quote	Internal Links	Dofollow
Why PCBWay One-Stop Solution for PCB & Assembly	Internal Links	Dofollow
Sponsorships Educational & Engineering Program	Internal Links	Dofollow
About Us Learn about our company mission	Internal Links	Dofollow
PCB Design PCB Layout, PCB Design, Electronics	Internal Links	Dofollow
Contact Us Global Offices,quick answers on product	Internal Links	Dofollow
Technical Support How to Generate Gerber files in Software	Internal Links	Dofollow
Mobile Enjoy more deals on our mobile website	Internal Links	Dofollow
Quality Control Perfect Quality Assurance System	Internal Links	Dofollow
A Colorful and Practical Voltage Indicator??Don?t Miss Out!	Internal Links	Dofollow
PCBWay Store NewArrival Product - ESP32-C6 1.47inch Display Development Board	Internal Links	Dofollow
How to Design a Custom ESP Programmer PCB with KiCad and PCBWay	Internal Links	Dofollow
2025-01-02 22:14:37 Which Country Craves AI Phones the Most? The Answer May Surprise You	Internal Links	Dofollow
2025-01-02 11:02:01 Apple to Release 19 New Products in 2025: The Most Affordable and Thinnest iPhones Are Coming!	Internal Links	Dofollow
Quote Now	Internal Links	Dofollow
Quote Now	Internal Links	Dofollow
[Consumer Electronics PCBs] 6-Layer Ambarella A7LA70 Dashcam	Internal Links	Dofollow
[Consumer Electronics PCBs] 4-Layer MTK8172 MID	Internal Links	Dofollow
[Industrial Control PCBs] Freescale i.MX6 Industrial Control Board	Internal Links	Dofollow
[Microwave PCBs] Microwave RF Communication PCB Boards	Internal Links	Dofollow
[High TG PCBs] 12-Layer High-Frequency PCB board	Internal Links	Dofollow
[SMT Factory] Wave Soldering	Internal Links	Dofollow
[SMT Factory] Ten-Zone Reflow Oven	Internal Links	Dofollow
[SMT Factory] PCBA AOI	Internal Links	Dofollow
[PCB Factory] AOI (Automated Optical Inspection)	Internal Links	Dofollow
[PCB Factory] Electroplating for PCBs	Internal Links	Dofollow
[PCB Factory] High-Speed Drilling Machine	Internal Links	Dofollow
[PCB Factory] Flying Probe Tester	Internal Links	Dofollow
[PCB Factory] Global Drilling	Internal Links	Dofollow
[PCB Factory] Circuit Exposure	Internal Links	Dofollow
[PCB Factory] Outer Layer Pre-treatment	Internal Links	Dofollow
view details	Internal Links	Dofollow
view details	Internal Links	Dofollow

view details	Internal Links	Dofollow
view details	Internal Links	Dofollow
view details	Internal Links	Dofollow
view details	Internal Links	Dofollow
+86-13142188866	Internal Links	Nofollow
No Anchor Text	External Links	Dofollow
?ICP?14065604?	External Links	Nofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.