



	Review of Komegtech.com			
	Generated on 2024-10-08			
Introduction	This report provides a review of the key factors that influence the SEO and usability of your website.			
	The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structur performance and others. A rank lower than 40 means that there are a lot of areas to improve. A ran above 70 is a good mark and means that your website is probably well optimized.			
	Internal pages are ranked on a scale of	A+ through E and are based on an analysis of nearly 30 criteria.		
	Our reports provide actionable advice	to improve a site's business objectives.		
	Please contact us for more information.			
Table of Contents	Search Engine Optimization	Usability		
	Mobile	Technologies		
	Visitors	Social		
	Link Analysis			
Iconography	📀 Good	••• Hard to solve		
	🕖 To Improve	••• Little tough to solve		
	😢 Errors	Easy to solve		
	Not Important	OO No action necessary		





KOMEG, Top 3 Manufacturer Of Climatic Test Chambers In China- Guangdong KOMEG Industrial Co., Ltd

Length: 97 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



000

Founded in 1990, KOMEG has been specializing in the design and production environmental simulation test chambers for more than 30 years.

Length: 137 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included). It allow you to influence how your web pages are described and displayed in search results. Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query). A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Environmental Chamber, Temperature and Humidity test chamber, Climatic test chamber manufacturer Meta Keywords 000

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.





Google Preview

#### KOMEG, Top 3 Manufacturer Of Climatic Test Chambers In China- Guangdong KOMEG Industrial Co., Ltd

#### komegtech.com/

Founded in 1990, KOMEG has been specializing in the design and production environmental simulation test chambers for more than 30 years.

This is an example of what your Title Tag and Meta Description will look like in Google search results. While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

<b>Meadings</b>	<h1></h1>	<h2></h2>	<h3></h3>	<h4></h4>	<h5></h5>	<h6></h6>
000	0	0	0	0	0	0

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.


While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.





This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.



000

Keywords test	Freq 43	Title	Desc	<h></h>
humidity	20	×	×	×
more	19	×	×	×
testing	16	×	×	×
chamber	16	×	×	×
temperature	10	×	×	×
control	10	×	×	×
aging	10	×	×	×
chambers	9	×	×	×
industrial	9	×	×	×
I temperature	8	×	×	×
series	8	×	×	×
used	8	×	×	×
created	6	×	×	×
wide	6	×	×	×

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.





We found 9 images on this web page **X** 9 ALT attributes are empty or missing.

https://dedjh0j7jhutx.cloudfront.net/1513472721080590336%2Fa5a8566a-5c00-4f65-adb4-81f4be3f7a2d.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336%2F49c76ace-264b-43e5-adc5-8e27366d3642.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336%2Fd05a04e1-936c-4ac8-afe5-0bde6d34de2f.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336%2F77931bbe-f8bd-4e0a-878d-2ebde2367849.webp https://dedjh0j7jhutx.cloudfront.net/c67d6a0d3af42f13b8c25b615e6610bf.webp

 $\label{eq:https://dedjh0j7jhutx.cloudfront.net/1513472721080590336\% 2Fbb0395fa-53bc-4ca5-85aa-1c4d498afc01.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336\% 2F68825dcb-974e-49a2-ae89-80a36ff7c20b.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336\% 2Ff9ba782c-3629-4bcd-8baa-014f1fe83c47.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336\% 2Fd1d22645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/1513472721080590336\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/151347272108059036\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/15147272108059036\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/15147272108059036\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/15147272108059036\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/15147272108059036\% 2Fd1d2645-cf3b-401c-830d-dac2d2fde90d.webp https://dedjh0j7jhutx.cloudfront.net/151472721080590d.webp https://dedjh0j7jhutx.cloudfront.net/151472721080590d$ 

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.



HTML to Text Ratio is: 2.69%

Text content size 7725 bytes Total HTML size 287307 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression

Wow! It's GZIP Enabled. ✓ Your webpage is compressed from 281 KB to 72 KB (74.2 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.





**IP Canonicalization** No your domain IP 18.164.78.123 does not redirect to komegtech.com

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.



Good, all URLs look clean and friendly

Your site's URLs contain unnecessary elements that make them look complicated.

A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.

Clean URLs are also useful when shared on social media as they explain the page's content.



Underscores in the Oh no, you are using underscores (these\_are\_underscores) in your URLs URLs

Great, you are not using ?underscores (these\_are\_underscores) in your URLs.

While Google treats hyphens as word separators, it does not for underscores.





WWW Resolve 000

Great, a redirect is in place to redirect traffic from your non-preferred domain.

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



Good, you have XML Sitemap file! http://komegtech.com/sitemap.xml

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located. You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



000

Good, you have Robots.txt file! http://komegtech.com/robots.txt

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently. We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing

Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.





000

**Embedded Objects** Perfect, no embedded objects has been detected on this page

Embedded Objects such as Flash. It should only be used for specific enhancements. Although Flash content often looks nicer, it cannot be properly indexed by search engines. Avoid full Flash websites to maximize SEO.



Oh no, iframe content has been detected on this page

Frames can cause problems on your web page because search engines will not crawl or index the content within them. Avoid frames whenever possible and use a NoFrames tag if you must use them.



000

**Domain Registration** Exactly how many years and months

Domain Age: 15 Years, 12 Days

Created Date: 8th-Oct-2009


Updated Date: 5th-Aug-2024

Expiry Date: 8th-Oct-2027

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name. Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about

your business.







#### Usability



http://komegtech.com Length: 13 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g.,

http://www.mysite.com/en/products).



Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so

hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.





Two of the main reasons for an increase in page size are images and JavaScript files. Page size affects the speed of your website; try to keep your page size below 2 Mb. Tip: Use images with a small size and optimize their download with gzip.



0.26 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience. Resources: Check out Google's developer tutorials for tips on how to to make your website run faster.



Good, you have declared your language Declared Language: English

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.





## Domain Availability

Domains (TLD)	Status
komegtech.net	Available
komegtech.org	Already Registered
komegtech.biz	Already Registered
komegtech.io	Already Registered
komegtech.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.



# Typo Availability

Domains (TLD)	Status
uomegtech.com	Available
jomegtech.com	Available
momegtech.com	Available
lomegtech.com	Available
oomegtech.com	Available

Register the various typos of your domain to protect your brand from cybersquatters.





Email Privacy

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



#### Mobile



Mobile Friendliness

Awesome! This page is mobile-friendly! Your mobile friendly score is 100/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



 Mobile Compatibility
 Bad, embedded objects detected.


 •••••
 ••••

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.







The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.



#### **Technologies**



Server IP

Server IP	Server Location	Service Provider	
18.164.78.93	Not Available	Not Available	

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.



Tips for authoring fast-loading HTML pages:

- Perfect, your website has few CSS files.
- Perfect, your website has few JavaScript files.
- Perfect, your website doesn't use nested tables.
- 💥 Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

???By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.



We didn't detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.





Doc Type

The Doctype is used to instruct web browsers about the document type being used. For example, what version of HTML the page is written in. Declaring a doctype helps web browsers to render content correctly.



W3C not validated

W3Cis a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index. Run the W3C validation service whenever changes are made to your website's code.




Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.



#### Social



in

Twitter:


Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.



#### Visitors





Estimated Worth \$60 USD

000

Just a estimated worth of your website based on Alexa Rank.



### Link Analysis

## In-Page Links

We found a total of 36 links including both internal & external links of your site

Anchor	Туре	Follow
No Anchor Text	Internal Links	Dofollow
Temperature And Humidity Test Chamber KMH-1500 Series2021-06-15 Application This series of aging test chamber is suitable for the reliability test of industrial products. It has the characteristics of temperature control precision and wide control range. The performance conforms to the criteria GB5170.1.2.5-2017 I more I more I	Internal Links	Dofollow
HAST/HALT Highly Accelerated Life Aging Test Chamber2021-06-13 It is widely used in IC semiconductors, connectors, circuit boards, magnetic materials, polymer materials, EVA, photovoltaic modules and other related products for accelerated aging life test. I more I more I	Internal Links	Dofollow
Environmental Chambers For Solar Panel Testing2021-06-16 KOMEG offers a wide variety of test chambers that allow you to test per the IEC and UL requirements. We can work with you to decide which equipment has the needed size and features to suit your application. more I more I	Internal Links	Dofollow
3-zone high and low temperature explosion-proof testing chamber2022-04-09 3-zone High and low temperature explosion-proof testing chamber[] more[] more []	Internal Links	Dofollow
Temperature And Humidity Testing Equipment, Battery Machine Test, Lab Equipment2021-06-13 temperature and humidity test chambers used for inspecting the equipment and testing the performance of heat resistance,cold resistance,dry resistance and moisture resistance,which is applicable for electronics, more more more more more more more more	Internal Links	Dofollow
Temperature And Humidity Chamber, Environmental Test Chamber2021-06-13 temperature and humidity environmental test chambers used for inspecting the equipment and testing the performance of heat resistance,cold resistance,dry resistance and moisture resistance,which is applicable for electronics, I more I more I	Internal Links	Dofollow
HAST high pressure accelerated aging test chamber2021-06-13 temperature and humidity test chambers used for inspecting the equipment and testing the performance of heat resistance,cold resistance,dry resistance and moisture resistance,which is applicable for electronics,0 more0 more 0	Internal Links	Dofollow
ET Series Temperature Testing Equipment With Explosion Proof, Battery Test2021-06-13 ET Series Temperature Testing Equipment with Explosion Proof, Battery Test[] more[] more []	Internal Links	Dofollow
Walk-in Constant Programmable Temperature Humidity Chamber (KMH-6)2021-06-13 Walk in chambers can be used for testing and controlled storage as well as a multifunctional laboratory environment for conducting test procedures in the telecommunications, defense, aerospace, pharmaceutical, automotive, and electronics industries. Chamber sizes can always be customized to your testing needs. more more I	Internal Links	Dofollow
Temperature And Humidity Test Chamber KMH-1000 Series2021-06-13 Application This series of aging test chamber is suitable for the reliability test of industrial products. It has the characteristics of temperature control precision and wide control range. The performance conforms to the criteria GB5170.1.2.5-2017 I more I more I	Internal Links	Dofollow
Temperature And Humidity Testing Equipment, Battery Machine Test, Lab Equipment2021-06-13 Temperature and Humidity Testing Equipment, Battery Machine Test, Lab Equipment more I more I	Internal Links	Dofollow
Temperature And Humidity Test Chamber KMH-408 Series2021-06-15 Application This series of aging test chamber is suitable for the reliability test of industrial products. It has the characteristics of temperature control precision and wide control range. The performance conforms to the criteria GB5170.1.2.5-2017 I more I more I	Internal Links	Dofollow
Bench Top Temperature And Humidity Test Chamber2021-06-15 Application This series of aging test chamber is suitable for the reliability test of industrial products. It has the characteristics of temperature control precision and wide control range. The performance conforms to the criteria GB5170.1.2.5-2017 more I more I	Internal Links	Dofollow



Temperature And Humidity Test Chamber KMH-64 Series2021-06-15 Application This series of aging test chamber is suitable for the reliability test of industrial products. It has the characteristics of temperature control precision and wide control range. The performance conforms to the criteria GB5170.1.2.5-2017 I more I more I	Internal Links	Dofollow
Temperature And Humidity Test Chamber KMH-S Series2021-06-15 Environmental Temperature Humidity Test Chamber for Aerospace Climate test chamber is a precise and durable conditioning system that able to offer quick and constant conditions from 5% to 98% R.H. +/- 0.5% and-70°C to 150°C +/-0.5°C, is widely used more more more more more more more more	Internal Links	Dofollow
Temperature And Humidity Test Chamber2021-06-15 TEMPERATURE AND HUMIDITY TEST CHAMBER Temperature Humidity Test chamber are widely used in testing various types of materials for their tolerances of heat, cold, dry and humidity. It is applicable for quality inspection for all types of electronic pr] more] more []	Internal Links	Dofollow
LEARN MORE	Internal Links	Dofollow
Download PDF brochure	Internal Links	Dofollow
FAQ for Humidity Test in Climatic Chambers2023-11-20Humidity testing is one of the most common tests conducted in a climatic chamber. However, due to transportation, unfamiliarity with operation, and other factors, issues may arise with climatic chambers that were functioning properly before leaving tmore	Internal Links	Dofollow
2023 New Product HAST Chambers 5.02023-08-07Unbiased HAST Chambers is a new product launched by KOMEG in 2023, which is an upgraded product based on the previous HAST chambers. HAST Chambers is also called Highly accelerated stress test chamber, which is mainly used to test nonhermetic packagemore	Internal Links	Dofollow
Automotive Testing Expo 2023 Europe2023-04-04Automotive Testing Expo 2023 Europe is scheduled for June 13,14,15, and KOMEG will be there again! welcome to KOMEG!more	Internal Links	Dofollow
0 0 1 Created with Sketch.E-mail	Internal Links	Dofollow
0 Created with Sketch.Tel	Internal Links	Dofollow
PRIVACY POLICY -	Internal Links	Dofollow
TERMS AND CONDITIONS	Internal Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
VISIT OUR CHINESE WEBSITE	External Links	Dofollow
CERTIFIED STAR MANUFACTURER	External Links	Dofollow
VISIT US ON MADE IN CHINA	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.





Broken Links

No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.

